

AQ2.000SG-C14E0







Information

- 3/4" thermostatic valve and trim
- 3/4" 3-way diverter valve and trim
- Rainfall, rain curtain and cascade water functions
- Showerhead features no-clog, easy-clean spray nozzles
- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Optional extension kit
- Showerhead flow rate ≤ 1.8 gpm





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





Product Features

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8043-C14E-T



Information

- Single metal handle and decorative trim plateUse with G-8006 thermostatic rough valve
- ADA



Polished Chrome





Product Features

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve

Available Finishes

- Polished Chrome
 G-8043-C14E1-T-PC
- Polished Nickle G-8043-C14E1-T-PN
- Unfinished Brass*
 G-8043-C14E1-T-UB*
- Steelnox® G-8043-C14E1-T-SN
- Olive Bronze*
 G-8043-C14E1-T-OB*
- Gold*
 G-8043-C14E1-T-AU*
- Brushed Gold*
 G-8043-C14E1-T-BAU*


Code Compliance

ADA

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-designs.com/en-nam/warranty



^{*} Special order finish- call for availability

SHOWER
Three-Way Diverter Control Valve
WITH Off Function (No PassThrough)





Information

G-8053

- ~11.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Polished Chrome





Product Features

- 3/4" universal inlets/outlets with female threads
- Stacking inlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty


Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs









Information


- Single metal handle and decorative trim plate
- Use with G-8053 3-Way Diverter Control Valve WITH Off Function
- ADA



Polished Chrome

POS NO.	SPARE PART DESCRIPTION	PCS	ITEM NO.
	3 way diverter valve G-8072-C14E1-T		5018200
1	Handle body	1	5181760
2	Movable sleeve set	1	5121300
3	Rosette	1	5121330
4	Key hex PN-ISO 2936-2	1	9919050
5	Plug no.3	1	5108300
6	Slide Washer	1	2806640
7	Screw M4x4 PN-EN ISO 4027	1	9903024
8	Screw M4x6 PN-EN ISO 4029	1	9903157
9	Collar gasket	2	5121495
10	OR 3x1	1	9917040





Information

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Polished Chrome







- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

 Stainless Polished G-8221-SP

Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

17-11/16" (450 mm)

23-5/8" (600 mm)