EVERHOT®



MODEL DESCRIPTION **FINISH** PART #

VICTORIA SERIES LVH720

EverHot Lead Free Hot/Cold Water Dispenser

HOT/COLD

Shipping Wt: 12 lbs.

Includes faucet, EverHot tank, 3' cord & tubing.

Victorian design • adjustable flow control with 1/4 turn ceramic disc valve for filling pitchers

and pots • swivel spout

Certified to NSF/ANSI Standard 61 and California Proposition 65.


Chiller sold separately (see EverCold).

FAUCET ONLY


Shipping Wt: 5 lbs.

Dimensions:

Height: 8" (9" for J-Spout) Reach: 7" (6.5" for J-Spout) Spout Diameter: 1/2" Hole Size Required: 1-1/4"



VICTORIA J-SPOUT





VICTORIA HOT & COLD

FAUCET & EVERHOT TANK

CHROME WI-LVH720HC-CH

SATIN NICKEL-PVD WI-LVH720HC-SN

SPECIAL* WI-LVH720HC-__

*SPECIAL = any sigma finish except precious metal (silver & gold) SEE CUSTOM FINISH INFO FOR EXAMPLES.

Allow 8 to 10 weeks for delivery.

FAUCET ONLY

CHROME WI-FA720HC-CH

SATIN NICKEL-PVD WI-FA720HC-SN

SPECIAL WI-FA720HC-

*SPECIAL = any sigma finish except precious metal (silver & gold) SEE CUSTOM FINISH INFO FOR EXAMPLES.

Allow 8 to 10 weeks for delivery.

J-SPOUT FAUCET & EVERHOT TANK NEW!



CHROME WI-I VH720JHC-CH

SATIN NICKEL-PVD WI-I VH720JHC-SN

SPECIAL* WI-LVH720JHC-

*SPECIAL = any sigma finish except precious metal (silver & gold) SEE CUSTOM FINISH INFO FOR EXAMPLES.

Allow 8 to 10 weeks for delivery.

J-SPOUT FAUCET ONLY



CHROME WI-FA720JHC-CH SATIN NICKEL-PVD WI-FA720JHC-SN

SPECIAL WI-FA720JHC-

*SPECIAL = any sigma finish except precious metal (silver & gold) SEE CUSTOM FINISH INFO FOR EXAMPLES.

Allow 8 to 10 weeks for delivery.

Please call for pricing on any Finish/Faucet combinations not listed.

> A separate air gap is available for reverse osmosis on this model.

UPGRADE SYSTEM TO A STAINLESS STEEL TANK FOR \$100.

Add **-SS** to end of part number

Neets National Lead Laws including NSF 372 - 2011 Drinking Water System Components -Lead Content and S.3874, Reduction of Lead in Drinking Water Act, CAAB 1953 and VT Act 193.

The Everhot mark is used under license from Bradford White Corp.

MAXIMUM recommended line pressure for this product is 75 PSI. Pressure above 75 PSI indicates the absence of a properly functioning water pressure regulator at the roperty. Excessive water pressure poses a risk of property damage to you.Problems due to excessive water pressure are NOT covered by this product's warranty. BEFORE inst lation of any Water, Inc. product, confirm that water supply pressure does not exceed 75 PSI. Questions? Contact Water, Inc. Service Depart. at 800.322.WATER(9283)

Installations must comply with appropriate plumbing codes. Do not use vinyl tubing to connect any Water, Inc. Product to a water source. Polyethylene tubing is recommended for cold water applications.